

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15000	(358/1.15,1.14,1.16,1.17,1.13,1.1,404,444,468,407).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:32
S2	324449	delet\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:32
S3	24215	print\$3 near2 job\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:33
S4	30275	confident\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:34
S5	250654	secret\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:35
S6	247059	eras\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:51
S7	43	(S2 or S6) same S3 same (S4 or S5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:53

EAST Search History

S8	43	(delet\$5 or eras\$5) same (print\$3 near2 job\$3) same (confident\$4 or secret\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:57
S9	27	(delet\$5 or eras\$5) same (print\$3 near2 job\$3) same (confident\$4 or secret\$5) same (stor\$5 or memor\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:17
S10	12	S9 and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:12
S11	2065706	print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:59
S12	1322933	network\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:00
S13	2243787	client\$4 or computer\$3 or host\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:00
S14	54265	S11 same S12 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:01

EAST Search History

S15	10	S14 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:10
S16	6685085	set or setting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:03
S17	2827833	held\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:03
S18	5	S16 and S17 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:07
S19	1996	print\$3 near2 job\$3 near2 generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:18
S20	30776	confident\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:18
S21	67378	set near2 portion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:19

EAST Search History

S22	0	S21 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:20
S23	0	S21 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:20
S24	1	S21 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:23
S25	382	held same (print\$3 near2 job\$3) same (stor\$5 or memor\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:24
S26	382	held\$3 same (print\$3 near2 job\$3) same (stor\$5 or memor\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:25
S27	67	held\$3 same (print\$3 near2 job\$3) same (stor\$5 or memor\$5) same complet\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:26
S28	3	held\$3 same (print\$3 near2 job\$3) same (stor\$5 or memor\$5) same complet\$4 same (confident\$3 or secret\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:28

EAST Search History

S29	0	held\$3 same (print\$3 near2 job\$3) same (stor\$5 or memor\$5) same complet\$4 same (confident\$3 or secret\$5) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:30
S30	3	held\$3 same (print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:30
S31	7	(print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5) same (set or sets or setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:34
S32	27	(print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:34
S33	15	(print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5) and (S11 same S12 same S13)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:36
S34	0	(print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5) same (still near4 (held or stor\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:38
S35	6	(print\$3 near2 job\$3) same (stor\$5 or memor\$5) same (confident\$3 or secret\$5) same (delet\$5 or eras\$5) same (held or stor\$4) same (after) same (complet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:42

EAST Search History

S36	70	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:47
S37	14	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$4 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:47
S38	14	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:47
S39	6	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$4 or stor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:48
S40	6	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:51
S41	4	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5) same (set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:52
S42	6	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5) same (held or stored)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:52

EAST Search History

S43	2	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5) same (held or stored) same (after near3 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:54
S44	0	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5) same (held or stored) same (after near3 print\$3) same (set or sets or setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:55
S45	4	(confident\$4 or secret\$4) same (instruct\$4) same (judg\$4) same (delet\$5 or eras\$5) same (memor\$5 or stor\$5) same (set or sets or setting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:56
S46	10753	auxiliary near3 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:57
S47	33	(auxiliary near3 memory) same (confident\$5 or secret\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:57
S48	1	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (print\$3 near3 job\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:58
S49	1	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (job\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:58

EAST Search History

S50	16	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (job\$3 or file\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:59
S51	4	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (job\$3 or file\$3) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 16:59
S52	4	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (job\$3 or file\$3 or print\$3) same (delet\$5 or eras\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 17:00
S53	0	(auxiliary near3 memory) same (confident\$5 or secret\$5) same (job\$3 or file\$3 or print\$3) same (delet\$5 or eras\$5) same (network\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 17:01